


Intelligent Concrete Design



Critical Factors

Cement Quality

Water Quality

Water Cement Ratio (W/C)

Mix Design (Materials & Gradation)



Calcium Silica Hydrate $(CaO)_{1.65}(SiO_2)(H_2O)_{1.75}$.









WHAT IS ICD?

Intercellular Cement Densification (ICD)

optimized cement hydration and pozzolanic reaction with (Ca(OH)2)

"The PMT sample exhibits...an 80% relative increase in the abundance of hydrated calcium silicate (tobermorite), and a 57% relative decrease in the observed concentration of calcium hydroxide (portlandite)...."


microstructure effectively eliminates migration of gas or liquid

"...the average diameter of the intercrystalline voids within the control sample is estimated to range between 3-6 um, approximately twice the size of the mean pore diameter reported for the PMT sample..."

"... (PMT) concrete ... is essentially impervious to the transmission of water in an aqueous state ..."

SEM Evaluation: Proof Positive


Control



"We have never seen this duplicated in any other concrete ... a remarkable advance in the state of the science of concrete technology"

T. Murphy, PGeo.

Concrete & Rock Permeability (millidarcys)



Managing Water for Better Concrete

Control = 0.4 W/C; 171 md

Enhance PMT = 0.4 W/C; 1.14 md

Enhance PMT = 0.5 W/C; 0.58 md

Enhance PMT = 0.6 W/C; 4.58 md

Increased water ... lower permeability!

Products & Services

CONCRETE
CELLULAR
MORTAR
PLASTER
SHOTCRETE
And more ...



MIX DESIGN & MATERIALS

Cement, Aggregates, SCM ...

PRODUCT MFG & SUPPLY

ICD Technologies and more ...

CONSULTING

Testing, Projects, Training, QC ...

ICD

PMT (admix)

EPC (topical)

ESC (surface)



NORMAL WEIGHT CONCRETE



Properties:

ASTM C494 Type S > 90% permeability reduction Curing / shrinkage advances Hydration / water management PMT (integral)



PMT (hydration catalyst)

CELLULAR CONCRETE

Properties:

400 - 800 kg / M (concrete; 2,400 kg) 0.5 - 2.0 MPa

(PMT + 20-50%)

Thermal Insulation

Load Bearing

Void Fill



PMT (integral)

ENGINEERING and P2P



SHOTCRETE



A new V-Ditch Spec **Finishing Shotcrete**

Only with PMT!

PMT (integral)

1 Technology / 3 Applications

Integral (PMT)

Topical (EPC)

Injection (EIF)











Protecting the Environment



1,000 cu M in 11 hrs

P2P Spec (PMT/EPC) Lowest ICD permeability to date: 0.208-0.406md


PMT (integral)

Samples for QA


Precast Modular Salt Barns














Re-Hydration Treatments (EPC)

- Cement based chemistry
- Topical application
- Environmentally friendly (water-borne)
- Non-membrane forming
- Renewable, long term treatment
- Not subject to UV
- Compatible with Sealers (if desired)


ICD: Fast & Effective

















Low, medium and high porosity solutions.

- 1. Water-based
- 2. Easy to use
- 3. No cure required
- 4. No down-time

Use any non-atomizing application method.





EPC (penetrating hydration catalyst)

Infrastructure Problems: Pipe



Fast reacting EPC driving moisture from cracks within minutes.



EPC treated surfaces are typically ready for use or handling within 1-hour for pipe or Precast filed parts.

Calgary International Airport (YYC) **Cooling System Reservoir**



Out of sight, out of mind ...

500,000 gal. concrete cooling fluid reservoir.

Loss of >4.0 cu M per day due to concrete permeability.

Interior treated with Enhance EPC; joints and cracks serviced.

Trained Enhance crew; completed in 3-days, at 45% of next closest bid.

Tested (no volume loss); restored to full service.

Industrial Applications

Leaking Sanitary Cistern



40 ft; 12 ft dia.; water @ 22 ft
Desiccated with EPC
Cavities Injection Repaired
Joints Epoxy Sealed



Before




After

Mining

Proficiencies:

Flowable Fills
Specialty Shotcrete
Structural Concrete
Seals & Roads
Cellular Concrete
Unique Pumping Applications







EPC Solves 20 Yr Moisture Problem!


Why Re-Hydration?

- Utilize dormant cement
- Resist binder (cement) & structural deterioration
- Resist moisture transmission& penetration
- Improve insulation properties& lower energy costs

Ernie Starr Arena

Positive & Negative Water Contact

Before After





Didsbury Firewater Reservoir

Coatings in all Climates

32-years Exposed to the Elements





Pressure wash
EPC treatment
R&R joint sealants
Apply 10-yr exterior coating

Building Solutions

Saturated, Deteriorated & Condemned!



EPC treatment
Pointing repairs
Stucco resurface
Elastomeric coating

PMT (integral)





Full restoration only with EPC!



Moisture Protection







ESC (surface-oriented protection)

ESC (surface)

Calgary School Board Carma Developers LP H&H Commercial Stucco

ICD: Solutions to Water Problems



ICD helps Slabs, Decks and Floors
















Enhance ICD (Canada) Inc.

Mix Design

Materials

ICD

Consult

Supply

Tech

PMT (integral)

EPC (topical)

ESC (surface)