MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA Hazard Communication Standard, 29 CFR 1910, 1200. Standard must be consulted for specific requirements.

SECTION 1 - PRODUCT IDENTIFICATION & USE

MANUFACTURER:	Enhance ICD (Canada) Inc.	Emergency Phone:
	8120 Beddington Blvd, # 10	09 1-888-720-2011
	P.O. Box 51119	
	Calgary, AB T3K 3V0	Info: 1-403-720-2011
SUPPLIER:	Enhance ICD (Canada) Inc.	
	Calgary, Alberta , Canada	1-403-720-2011
PRODUCT ID:	PMT 1 (PMT-1-OS)	USE: Concrete Densifier

SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL NAME: CAS #: % (Optional) TLV(Source) Contains no reportable chemicals under Sara Title III Sections 311, 312, 313.

SECTION 3 - PHYSICAL DATA

BOILING POINT: 230°F or 110°CSPECIFIC GRAVITY: 1.044VAPOR PRESSURE: (mmHg) NA VAPOR DENSITY: (Air=1) NAEVAPORATION RATE: (vs H20) NApH: 11.3 - 11.6ODOR AND APPEARANCE: Opaque, odorless liquid.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (T.C.C): None FLAMMABLE LIMITS: UPPER - None; LOWER - None EXTINGUISHING MEDIA: NA HAZARDOUS COMBUSTION PRODUCTS: None

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: YES (Stable) INCOMPATIBILITY WITH OTHER SUBSTANCES: None HAZARDOUS DECOMPOSITION PRODUCTS: None

SECTION 6 - HEALTH HAZARDS

ROUTE OF ENTRY: SKIN, EYES, INHALATION, INGESTION THRESHOLD LIMIT VALUE - PRODUCT (See section 2 for Ingredients TLV) None Established EFFECTS OF ACUTE EXPOSURE TO PRODUCT May cause irritation to eyes or skin.

SECTION 6 - HEALTH HAZARDS (CONT'D)

EFFECTS OF CHRONIC EXPOSURE TO PRODUCT Unknown MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE Unknown CARCINOGENIC OR SUSPECT CARCINOGENIC INGREDIENTS

None

SECTION 7 - PREVENTIVE MEASURES

PROTECTIVE GLOVES: Rubber gloves for prolonged contact EYE PROTECTION: Safety glasses/goggles OTHER PROTECTIVE CLOTHING: Rain suit or coveralls for extensive contact RESPIRATORY PROTECTION: None Required ENGINEERING/VENTILATION CONTROLS: NA LEAK AND SPILL PROCEDURE: Flush with water, or mop up WASTE DISPOSAL: Flush into sanitary sewer. Check local government regulations. HANDLING PROCEDURES: NA STORAGE REQUIREMENTS: NA

SPECIAL SHIPPING INFORMATION: NA

SECTION 8 - FIRST AID MEASURES

EYES Flush with water for 15 minutes SKIN Flush with water for 15 minutes INGESTION Give quantities of water. Seek medical attention. INHALATION NA (If conditions persist consult a physician)

SECTION 9 - PREPARATION DATE OF MSDS

Prepared by: Enhance QC Ph. #: 1-888-720-2011 DATE: 03-01-2011

Keep out of reach of children



Safe for the Environment